



 **nuova**  
**SIMONELLI**<sup>®</sup>  
espresso coffee machines



**PUBLIC PRICE LIST €**  
**2013/B**



## PRICE LIST

### TALENTO



Plus colour  Black

Special colour  White

Superautomatic espresso coffee machine with thermocompensated metal group; Double grinder ( $\Phi = 65$  mm); 1.5 kg containers; Double insulated boiler; two beverages brewed simultaneously with patented flow division system; Height-adjustable nozzle (85mm- 190mm); Mousse milk system with adjustable temperature and density (Vers. Special); Built-in cappuccino maker (Vers. Plus); Emulsifier built-in (Vers. Special); Stainless steel steam wand with new "easycream" system (Optional); Hot water wand in stainless steel; Multicolour graphic display; Body and frame in stainless steel; Hourly production of up to 240 cups of espresso and 180 cappuccinos; USB slot.

MODEL	FEATURES	VERSIONS	CODE	PRICE €
<b>Special</b>	Coffee boiler Lt. 2; Service boiler Lt. 3; Power 5400W; Voltage 230V/380V; Frequency 50/60 Hz Dim WxDxH(400x608x844) mm Net/Gross Weight: 66/76 Kg	230 V	MTALE11CMK21	<b>9.300</b>
		380 V	MTALE11CMK21	
<b>Plus</b>	Coffee boiler Lt. 2; Service boiler Lt. 3; Power 5400W; Voltage 230V/380V; Frequency 50/60 Hz Dim WxDxH(400x608x844) mm Net/Gross Weight: 66/76 Kg	230 V	MTALE11CAP21	<b>8.200</b>
		380 V	MTALE11CAP21	
<b>Milk fridge module</b>	Refrigerating compressor; Refrigerating gas R134a; Capacity Lt. 15; Power 100W; Temperature electronic control with LCD display; Voltage 230 50/60Hz; Dim WxDxH (270x430x700) mm Net/Gross Weight: 18/22 Kg	230 V	KFP20202	<b>1.940</b>
<b>Cup warmer module</b>	N. 3 drawers; Cups per drawer: 30 coffee or 16 cappuccinos; Power 300W; Voltage 230 50/60Hz; Dim WxDxH (270x430x700) mm Net/Gross Weight: 10/14 Kg	230 V	KSET0001	<b>1.025</b>

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
<b>Block beans container lock system</b>	Lock system by keys		98160020	<b>30</b>
<b>Hot water economizer</b>				<b>100</b>
<b>"Easy cream" steam nozzle</b>	With air compressor and milk temperature electronic control	Plus		<b>580</b>
		Special		<b>350</b>
<b>International certification</b>				<b>75</b>
<b>Water softener</b>	Water softener 8 lt	Manual	KD80000	<b>120</b>
	Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	<b>710</b>
	Water softener 12 lt	Manual	KD120000	<b>140</b>
<b>Direct drain drawer</b>	Made of stainless steel with direct drain			<b>35</b>



## PRICE LIST

### PRONTOBAR

Superautomatic espresso coffee machine with removable and thermocompensated metal group; Volumetric pump; Built-in cappuccino maker; 1 or 2 grinders (Ø = 50 mm); 0,8 kg containers; Double insulated boiler; Height-adjustable nozzle; Stainless steel steam wand with Autosteam system (Optional); Hot water wand in stainless steel; Multifunction graphic display; Water tank or direct connection (Vers. AD); Body and frame in stainless steel and ABS; Hourly production of up to 140 cups of espresso and 70 cappuccinos; USB slot.

**NEW WITH  
VOLUMETRIC PUMP**



Standard Colour

Black  White

MODEL	FEATURES	VERSIONS	CODE	PRICE €
<b>1 grinder</b>	Group Ø 43 mm.; 1 Grinder (Ø = 50 mm); Boiler capacity 1.4 liters; Water Tank Capacity: 5 liters; Power: 2000 W; Voltage: 208/240V; Frequency: 50/60 Hz; Dimensions: WxDxH (330x520x600); Net/Gross weight: 33/39 Kg	230V	MPROB13CAP11	<b>4.160</b>
<b>1 grinder AD</b>	Group Ø 43 mm., 1 Grinder (Ø = 50 mm) Boiler capacity 1.4 liters, Direct Water Mains attachment, Power: 2000 W, Voltage: 208/240V, frequency: 50/60 Hz Dimensions: WxDxH (330x520x600) Net/Gross weight: 33/39 Kg	230V	MPROB13CAP11	<b>4.160</b>
<b>2 grinders</b>	Group Ø 43 mm., 2 Grinders (Ø = 50 mm) Boiler capacity 1.4 liters, Water Tank Capacity: 5 liters, Power: 2000 W, Voltage: 208/240V, frequency: 50/60 Hz Dimensions: WxDxH (330x520x600) Net/Gross weight: 37/43 Kg	230V	MPROB13CAP21	<b>4.490</b>
<b>2 grinders AD</b>	Group Ø 43 mm., 2 Grinders (Ø = 50 mm) Boiler capacity 1.4 liters, Direct Water Mains attachment, Power: 2000 W, Voltage: 208/240V, frequency: 50/60 Hz Dimensions: WxDxH (330x520x600) Net/Gross weight: 37/43 Kg	230V	MPROB13CAP21	<b>4.490</b>

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
<b>International certification</b>				<b>75</b>
<b>Hot water extension</b>	For caffè americano			<b>60</b>
<b>"Smart Wand" steam nozzle</b>	With milk temperature electronic control			<b>330</b>
<b>Thermoelectric Fridge</b>	Capacity 15 lt, Power 65 W, Voltage 230/12V; W x D x H 200 x 315 x 450, Weight 5 Kg	15 lt	KFPML15D00	<b>135</b>
<b>Cup warmer module</b>	Power 200W; Voltaggio 230V - 50 Hz; WxDxH 250 x 295 x 480 Weight 7,3 Kg.		ASCMICRO30.1	<b>495</b>
<b>Direct drain drawer</b>	In stainless steel with direct discharge base			<b>25</b>



## PRICE LIST

### M I C R O B A R

Superautomatic compact machine with Built-in Cappuccino maker; Removable metal group; 1 or 2 built-in grinders (Ø = 50 mm); Built-in Hopper 500 g; Insulated double boiler; Removable and height adjustable dispenser; Removable water tank or direct connection to the water mains (AD Version). Stainless steel and ABS body; Up to 100 espressos or cappuccinos per day.



Standard Colours

■ Grey

■ Heart Red

MODEL	FEATURES	VERSIONS	CODE	PRICE €
<b>1 grinder</b>	Group Ø 43 mm., 1 Grinder (Ø = 50 mm) Boiler capacity: Lt 1.4, Water Tank Capacity: 5 liters, Power: 2000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (320x445x480); Net / Gross weight: 31/36 Kg	115V	MMICRO8CAP110	<b>2.860</b>
		230V	MMICRO8CAP110	<b>2.860</b>
<b>1 grinder AD</b>	Group Ø 43 mm., 1 Grinder (Ø = 50 mm) Boiler capacity: Lt 1.4, Direct Water Mains attachment, Power: 2000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (320x445x480); Net / Gross weight: 31/36 Kg	115V	MMICRO8CAP11A	<b>2.930</b>
		230V	MMICRO8CAP11A	<b>2.930</b>
<b>2 grinder</b>	Group Ø 43 mm., 2 Grinders (Ø = 50 mm) Boiler capacity: Lt 1.4, Water Tank Capacity: 5 liters, Power: 2000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (320x445x480); Net / Gross weight: 35/40 Kg	115V	MMICRO8CAP210	<b>3.150</b>
		230V	MMICRO8CAP210	<b>3.150</b>
<b>2 grinder AD</b>	Group Ø 43 mm., 2 Grinders (Ø = 50 mm) Boiler capacity: Lt 1.4, Direct Water Mains attachment, Power: 2000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (320x445x480); Net / Gross weight: 35/40 Kg	115V	MMICRO8CAP21A	<b>3.210</b>
		230V	MMICRO8CAP21A	<b>3.210</b>

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
<b>Thermoelectric Fridge</b>	Capacity: 15 Lt; Power 65W; Voltage 230/12 V; WxDxH 200x315x450; Weight 5 Kg	15Lt	KFPML15D00	<b>135</b>
<b>Cup warmer module</b>	Power 200 W; Voltage 230 V - 50 Hz; WxDxH 250x295x480; Weight 7,3 Kg		ASCMICRO30.1	<b>495</b>
<b>Coffee Hopper</b>	Capacity 0,5 Kg; H 85 mm; Colour Smoke		05000706.F	<b>10</b>
<b>Stainless steel base</b>	Base with direct discharge drawer WxDxH 325x460x150		KCS00005	<b>345</b>
<b>Direct Discharge Kit</b>		Grigio cielo ■	KSFD0000	<b>80</b>
		Rosso cuore ■	KSFD0001	<b>80</b>



## PRICE LIST

### AURELIA II T<sup>3</sup>



**NEW  
DISPLAY TFT**



Standard colours

- Black Matt
- Pearl White
- Red

Traditional coffee machine with innovative T3 technology; LCD graphic display with rotary switch, independent temperature programming for each group; Insulated Boilers; SIS Brewing System; WBC Settings; Reverse mirror, LED light on the work surface; Milk LED on the steam nozzle; Volumetric Dosing ("V" version) or manual ("S" version); 2 stainless steel cool touch steam wand, 1 hot water wand with economizer, programmable electric cup warmer (optional) External pump pressure adjustment, Steam stop valve, Teflon coated filter holder; Metal Professional Tamper, USB Slot; Added height groups (optional); Easy cream system (optional).

MODEL	FEATURES	VERSIONS	CODE	PRICE €	
<b>2 Gr</b>	Steam boiler Lt. 14; Power: 7300W; Voltage: 230/380V; Frequency: 50/60Hz; W x D x H 815x565x565 Net/Gross weight: 78/84 Kg	S 230V	MAURFTST302	<b>9.200</b>	
		S 380V	MAURFTST302	<b>9.200</b>	
		V 230V	MAURFTVT302	<b>9.500</b>	
		V 380V	MAURFTVT302	<b>9.500</b>	
<b>3 Gr</b>	Steam boiler Lt. 17 Power: 9100W Voltage: 230/380V; Frequency: 50/60Hz; W x D x H 1045x565x565 Net/Gross weight: 92/98 Kg	S 230V	MAURFTST303	<b>10.350</b>	
		S 380V	MAURFTST303	<b>10.350</b>	
		V 230V	MAURFTVT303	<b>10.900</b>	
		V 380V	MAURFTVT303	<b>10.900</b>	
OPTIONAL		FEATURES	VERSIONS	CODE	PRICE €
<b>Electric cup warmer</b>			2 Gr		<b>80</b>
			3 Gr		<b>105</b>
<b>Thermoelectric Fridge</b>		Capacity: 15 lt; Power 65W; Voltage 230/12 V; WxDxH 200x315x450; Weight 5 Kg	15 lt.	KFPML15D00	<b>135</b>
<b>International certifications</b>					<b>75</b>
<b>Stainless steel grinds base</b>		Stainless steel base with drawer WxDxH 250x 380x80		KCS00003	<b>150</b>
<b>Water softener</b>		Water softener 8 lt	Manual	KD80000	<b>120</b>
		Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	<b>710</b>
		Water softener 12 lt	Manual	KD120000	<b>140</b>
<b>Leather handle + Teflon coated filter holder</b>				KPFPT00*	<b>145</b>
<b>"Easy Cream" Steam nozzle</b>		With electronic milk temperature - possible for both steam nozzles	Each		<b>580</b>



## LISTINO PREZZI

### AURELIA II

Traditional coffee machine; Multifunction graphic display with Rotary Switch ("Digit" Version); Electronic PID temperature control ("Digit" Version); SIS Brewing System; Reverse Mirror; system lights with LED Milk Light (Optional), Volumetric Dosing ("Digit" and "V" Versions) or manual ("S" Version); 2 Stainless steel steam wands with Push & Pull command; Possibility to add electronic Easy Cream system (on "Digit" Version possible on both steam nozzles; on "V" Version only 1 nozzle), Added height groups (optional); Easy cream system (optional); 1 hot water wand with economizer; Electric cup warmer (optional) Added Height groups (optional) automatic washing system ("Digit" and "V" Versions), USB slot ("Digit" Version).



Colore Standard

- Black Matt
- Pearl White
- Red


MODEL	FEATURES	VERSIONS	CODE	PRICE €
<b>2 Gr</b>	Boiler Lt. 14 Power 4500W Voltage: 230/380V Frequency 50/60Hz WxDxH 815x565x565 Net/Gross Weight: 76/82 Kg	S 230V	MAUREISEM02	<b>4.550</b>
		S 380V	MAUREISEM02	<b>4.550</b>
		V 230V	MAUREIVOL02	<b>5.670</b>
		V 380V	MAUREIVOL02	<b>5.670</b>
		DIGIT 230V	MAURFTVDG02	<b>7.800</b>
		DIGIT 380V	MAURFTVDG02	<b>7.800</b>
<b>3 Gr</b>	Boiler Lt. 17 Power 5200W Voltage: 230/380V Frequency 50/60Hz WxDxH 1045x565x565 Net/Gross Weight: 90/100 Kg	S 230V	MAUREISEM03	<b>5.340</b>
		S 380V	MAUREISEM03	<b>5.340</b>
		V 230V	MAUREIVOL03	<b>6.800</b>
		V 380V	MAUREIVOL03	<b>6.800</b>
		DIGIT 230V	MAURFTVDG03	<b>9.100</b>
		DIGIT 380V	MAURFTVDG03	<b>9.100</b>
<b>4 Gr</b>	Boiler Lt. 22 Power 5200W Voltage: 230/380V Frequency 50/60Hz WxDxH 1275x565x565 Net/Gross Weight: 106/122 Kg	S 230V	MAUREISEM04	<b>6.420</b>
		S 380V	MAUREISEM04	<b>6.420</b>
		V 230V	MAUREIVOL04	<b>7.920</b>
		V 380V	MAUREIVOL04	<b>7.920</b>
		DIGIT 230V	MAURFTVDG04	<b>10.380</b>
		DIGIT 380V	MAURFTVDG04	<b>10.380</b>

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
<b>Led light</b>	Light for milk jug and working plan			<b>400</b>
<b>Electric cup warmer</b>	Aurelia 2-3-4gr "S" and "V" (on/off)	2 Gr		<b>70</b>
		3 Gr		<b>95</b>
		4 Gr		<b>105</b>
	Aurelia 2-3-4 Gr. "Digit" (programmable)	2 Gr		<b>80</b>
		3 Gr		<b>105</b>
		4 Gr		<b>140</b>
<b>Tall groups version</b>	for 16Oz (specify with order)		n.d.	-
<b>"Cool touch" wand kit</b>			KLVCT003	<b>90</b>
<b>"Easy Cream" steam nozzle</b>	With electronic milk temperature, "V" (1 nozzle); "Digit" (possible for both steam nozzles)	Each		<b>580</b>
<b>Turbocream steam nozzle</b>	Steam nozzle to add automatic milk without temperature probe		KLTC0002	<b>45</b>
<b>Thermoelectric Fridge</b>	Capacity: 15 lt; Power 65W; Voltage 230/12 V; WxDxH 200x315x450; Weight 5 Kg	15 lt.	KFPML15D00	<b>135</b>
<b>International certifications</b>				<b>75</b>
<b>Stainless steel grinds base</b>	Stainless steel base with drawer WxDxH 250x 380x80		KCS00003	<b>150</b>
<b>Water softener</b>	Water softener 8 lt	Manual	KD80000	<b>120</b>
	Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	<b>710</b>
	Water softener 12 lt	Manual	KD120000	<b>140</b>
<b>Teflon coated dispersion Block</b>	Teflon coated for easy cleaning		07300183*	<b>18</b>
<b>Teflon coated filter holder</b>			KPFTF00*	<b>90</b>
<b>Leather handle + Teflon coated filter holder</b>			KPFFT00*	<b>145</b>
<b>Metal tamper</b>	Pressino ergonomico in metallo ad altezza regolabile		KPCNS001	<b>75</b>




## PRICE LIST

### A P P I A II

 <p>Standard colours</p> <p>■ Black</p>	Traditional coffee machine; SIS Brewing System; Volumetric Dosing ("V" Versions) or manual ("S" Version); Builtin volumetric pump; 2 Stainless steel steam wands with Push & Pull command; 1 hot water wand; Water economizer (Optional); Tall groups (Optional); Automatic washing system ("V" Versions).				
	MODEL	FEATURES	VERSIONS	CODE	PRICE €
	<b>2 Gr</b>	Boiler: 11 Lt. Power: 3000W Voltage: 230/380V Frequency: 50/60Hz. Dimensions: WxDxH: 780x545x530H Net/Gross Weight: 60/65 Kg	S 230V	—	<b>3.360</b>
			S 380V	—	<b>3.360</b>
			V 230V	—	<b>4.320</b>
			V 380V	—	<b>4.320</b>
	<b>3 Gr</b>	Boiler 15 Lt. Power 5000W Voltage: 230/380V Frequency 50/60Hz Dimensions: WxDxH 1010x545x530 Net/Gross Weight: 80/85 Kg	S 230V	—	<b>4.430</b>
			S 380V	—	<b>4.430</b>
			V 230V	—	<b>5.320</b>
			V 380V	—	<b>5.320</b>

### A P P I A II C O M P A C T


 <p>Standard Colours</p> <p>■ Black</p>	Traditional compact espresso machine; SIS Brewing System; Volumetric Dosing ("V" Versions) or manual ("S" Version); Builtin volumetric pump; 2 Stainless steel steam wands with Push & Pull command; Smart Wand system (Optional); 1 hot water wand; Water economizer (Optional); Tall groups (Optional); Automatic washing system ("V" Versions).				
	MODEL	FEATURES	VERSIONS	CODE	PRICE €
	<b>COMPACT 2GR</b>	Boiler 7,5 Lt. Power 1500/2600W Voltage: 115/230V Frequency 50/60Hz Dimensions: WxDxH 550x545x530 Net/Gross Weight: 60/65 Kg	S 115V	—	<b>2.890</b>
			S 230V	—	<b>2.890</b>
			V 115V	—	<b>3.490</b>
			V 230V	—	<b>3.490</b>

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
<b>Colours on demand Appia II 2-3 Gr</b>	■ Heart Red    □ Pearl White included chrome groups covers			<b>120</b>
<b>Colours on demand (Appia Compact)</b>	■ Heart Red    □ Pearl White			<b>80</b>
<b>Tall groups version</b>	Included			-
<b>Turbocream steam nozzle</b>	Steam nozzle to add automatic milk without temperature probe		KLTC0000	<b>45</b>
<b>"Smart Wand" steam nozzle</b>	With electronic milk temperature control	V		<b>330</b>
<b>Kit hot water economizer</b>	Hot water economizer			<b>90</b>
<b>Electric cup warmer</b>	no Appia Compact	2 Gr 3 Gr		<b>70</b> <b>85</b>
<b>International certifications</b>				<b>75</b>
<b>Stainless steel grinds base</b>	Stainless steel base with drawer WxDxH 250x 380x80		KCS00003	<b>150</b>
<b>Thermoelectric Fridge</b>	Capacity: 15 Lt; Power 65W; Voltage 230/12 V; WxDxH 200x315x450; Weight 5 Kg	15 Lt.	KFPM115D00	<b>135</b>
<b>Water softener</b>	Water softener 8 lt	Manual	KD80000	<b>120</b>
	Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	<b>710</b>
	Water softener 12 lt	Manual	KD120000	<b>140</b>
<b>Teflon coated filter holder</b>			KPFTF00*	<b>90</b>
<b>Leather handle + Teflon coated filter holder</b>			KPFPT00*	<b>145</b>
<b>"Cool touch" wand kit</b>			KLVT001	<b>90</b>
<b>Stainless steel tamper</b>	Ergomic professional tamper with adjustable longness handle		KPCNS001	<b>75</b>



## PRICE LIST

### APPIA 1 Gr

 Standard colours <span style="display: inline-block; width: 15px; height: 10px; background-color: black; vertical-align: middle;"></span> <b>Black</b>	Traditional coffee machine; Volumetric Dosing ("V" Versions) or manual ("S" Version); Builtin volumetric pump; SIS Brewing System; 1 Stainless steel steam wand with Push & Pull command; Electronic Smart Wand system (Optional); 1 hot water wand; Water economizer (Optional); Tall group.				
	MODEL	FEATURES	VERSIONS	CODE	PRICE €
	<b>1 Gr</b>	Boiler 5 Lt. Power 1500/1800W Voltage: 115/230V Frequency 50/60Hz Dimensions: WxDxH 400x545x530 Net/Gross Weight: 42/48 Kg	S 115V	MAPPIA5SEM01	<b>1.980</b>
			S 230V	MAPPIA5SEM01	<b>1.980</b>
			V 115V	MAPPIA5VOL01	<b>2.420</b>
V 230V			MAPPIA5VOL01	<b>2.420</b>	
OPTIONAL	CARATTERISTICHE	VERSIONI	CODICE	PREZZO €	
<b>Colours on demand</b>	<input checked="" type="checkbox"/> Heart Red <input type="checkbox"/> Pearl White			<b>80</b>	
<b>"Turbocream" steam nozzle</b>	Steam nozzle to add automatic milk without temperature probe		KLTC0000	<b>45</b>	
<b>"Smart Wand" steam nozzle</b>	With electronic milk temperature control	V		<b>330</b>	
<b>International certifications</b>				<b>75</b>	
<b>Stainless steel grinds base</b>	Stainless steel base with drawer WxDxH 250x 380x80		KCS00003	<b>150</b>	
<b>Thermoelectric Fridge</b>	Capacity: 15 lt; Power 65W; Voltage 230/12 V; WxDxH 200x315x450; Weight 5 Kg	15 lt.	KFPML15D00	<b>135</b>	
<b>Water softener</b>	Water softener 8 lt	Manual	KD80000	<b>120</b>	
	Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	<b>710</b>	
	Water softener 12 lt	Manual	KD120000	<b>140</b>	
<b>Teflon coated filter holder</b>			KPFTF00*	<b>90</b>	
<b>Leather handle + Teflon coated filter holder</b>			KPFT00*	<b>145</b>	
<b>"Cool touch" wand kit</b>			KLVCT001	<b>90</b>	
<b>Stainless steel tamper</b>	Ergomic professional tamper with adjustable longness handle		KPCNS001	<b>75</b>	





## PRICE LIST

### MUSICA

**NEW SISTEM  
NOISE REDUCTION**



Standard colours

■ Fuxia ■ Nero

Semiprofessional machine; Thermocompensated group; Programming volumetric dosig; SIS Brewing system; 1 Stainless steel steam wand with Push & Pull command; 1 hot water wand; Stainless steel body; Professional boiler manometer; Water tank or direct water connection ("AD" Version); Led retro-illuminated body (Lux version).

MODEL	FEATURES	VERSIONS	CODE	PRICE €
<b>Standard</b>	Reservoir Lt 3; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim LxPxH 320 x 430 x 400h; Net Weight 20Kg	115V	MMUSICAVOLO1	<b>1.500</b>
		230V	MMUSICAVOLO1	<b>1.400</b>
<b>Lux</b>	Direct water connection; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim LxPxH 320 x 430 x 400h; Net Weight 20Kg	115V	MMUSICA LUX01	<b>1.650</b>
		230V	MMUSICA LUX01	<b>1.550</b>
<b>Standard AD</b>	Direct water connection; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim LxPxH 320 x 430 x 400h; Net Weight 20Kg	115V	MMUSICAVOLO1	<b>1.550</b>
		230V	MMUSICAVOLO1	<b>1.450</b>
<b>Lux AD</b>	Direct water connection; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim LxPxH 320 x 430 x 400h; Net Weight 20Kg	115V	MMUSICA LUX01	<b>1.700</b>
		230V	MMUSICA LUX01	<b>1.600</b>

#### OPTIONAL

#### FEATURES

#### VERSIONS

#### CODE

#### PRICE €

<b>Inox base</b>	Base with drawer; dim W x D x H 500 x 350 x 80		KCS00004	<b>240</b>
<b>Inox Base for grinder</b>	Inox base with drawer; dim W x D x H 250 x 380 x 80		KCS00003	<b>150</b>
<b>Professional pack</b>	Professional pressostat and double filter holder on 230 V version			<b>110</b>
<b>Kit water tank softener</b>			KDVD000*	<b>65</b>
<b>Teflon coated filter holder</b>			KPFTF00*	<b>90</b>
<b>Leather handle - teflon coated filter holder</b>			KPFPT00*	<b>145</b>
<b>Grinta* Grinder</b>	*(see dedicated grinders section)			<b>*</b>
<b>MCF* Grinder</b>	*(see dedicated grinders section)			<b>*</b>
<b>International Certification</b>				<b>75</b>
<b>kit water tank + refiller</b>	4 refiller box		KFCWM001	<b>120</b>
<b>Refiller</b>	Confezione da 4 cartucce		KFCWM000	<b>70</b>
<b>Stainless steel tamper</b>	Ergomic professional tamper with adjustable longness handle		KPCNS001	<b>75</b>
<b>Teflon coated dispersion Block</b>	Teflon coated for easy cleaning (3mm)		07300183*	<b>18</b>

### OSCAR



Colore Standard

■ Nero

Semiprofessional machine; Thermocompensated group utilizing thermosiphoning; Manual dosing; 1 steam wand; Body in colored ABS; Water tank or direct water connection ("AD" Version).

MODEL	FEATURES	VERSIONS	CODE	PRICE €
<b>OSCAR</b>	Reservoir Lt 2; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim WxDxH 300 x 400 x 400; Net/Gross Weight 14/17Kg	115V - 60 Hz	MOSCARPSEM01	<b>780</b>
		230V - 50/60 Hz	MOSCARPSEM01	<b>780</b>
<b>OSCAR AD</b>	Direct water connection; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim LxPxH 300 x 400 x 400; Net/Gross Weight 14/17Kg	115V - 60 Hz	MOSCARPSEM01	<b>780</b>
		230V - 50/60 Hz	MOSCARPSEM01	<b>780</b>

#### OPTIONAL

#### FEATURES

#### VERSIONS

#### CODE





#### PRICE €

<b>Colour on demand</b>	■ ■ Nero Mat			<b>50</b>
<b>Inox base</b>	Base with drawer; dim W x D x H 500 x 350 x 80		KCS00004	<b>240</b>
<b>Inox Base for grinder</b>	Inox base with drawer; dim W x D x H 250 x 380 x 80		KCS00003	<b>150</b>
<b>Teflon coated filter holder</b>			KPFTF00*	<b>90</b>
<b>Leather handle - teflon coated filter holder</b>			KPFPT00*	<b>145</b>
<b>Grinta* Grinder</b>	*(see dedicated grinders section)			<b>*</b>
<b>MCF* Grinder</b>	*(see dedicated grinders section)			<b>*</b>
<b>International Certification</b>				<b>75</b>
<b>Stainless steel tamper</b>	Ergomic professional tamper with adjustable longness handle		KPCNS001	<b>75</b>
<b>Teflon coated dispersion Block</b>	Teflon coated for easy cleaning (3mm)		07300183*	<b>18</b>





## PRICE LIST

### MACININI ON DEMAND • ON DEMAND GRINDERS

 <p>Mythos Basic</p>	Electronic grinder with instant grinding; Total/partial dose counter; N° 3 programmed doses; Manual addition; Micrometric grinding adjustment; Adjustable dynamometric tamper (0 - 24 Kg, PLUS version); Coffee beans container of Kostill for food; Stop&Go function; Barista function; Capacity of 3,2 Kg (7 lb); Bean hopper extraction safety system; Removable coffee grounds tray; Productivity 18 Kg/h.; Dimensions: W x D x H: (7 3/8" x 19 9/16" x 23 3/8"); Weight Kg. 20 (44,1 lb); LCD display with two lines.					
	MODEL	FEATURES	VERSIONS		CODE	PRICE €
 <p>Mythos Plus</p>	<b>MYTHOS BASIC</b>	Bean hopper capacity: 3.2 Kg. Burrs: Ø = 75mm Power: 950W (115V) /800W (230V) Voltage: 115/230V 50/60 Hz Grinding speed. (7gr): 1.2" - 2.5" Daily production: 10 Kg/day Dimensions LxPxH: 188 x 497 x 595 Net/gross weight: 20/22 Kg	115V	Grey Met.	AMI 7131	1.470
			220V	Grey Met.	AMI 7132	1.450
			115V	Matt Black	AMI 7121	1.470
			220V	Matt Black	AMI 7022	1.450
 <p>Mythos One</p>	<b>MYTHOS PLUS</b>	Bean hopper capacity: 3.2 Kg. Dybamometric tamper: 0-24Kg Long life burrs Ø = 75mm Power: 950W (115V) /800W (230V) Voltage: 115/230V 50/60 Hz Grinding speed: (7gr): 1.2" - 2.5" Daily production: 10 Kg/day Dimensions LxPxH: 188 x 497 x 595 Net/gross weight: 20/22 Kg	115V	Inox Sat	AMI 7001	2.000
			220V	Inox Sat	AMI 7002	1.970
			115V	Grey Met.	AMI 7031	1.785
			220V	Grey Met.	AMI 7032	1.755
			115V	Matt Black	AMI 7021	1.785
			220V	Matt Black	AMI 7022	1.755
 <p>Mythos One</p>	<b>MYTHOS ONE</b>	Bean hopper capacity: 1.3 Kg. Burrs: Long Life Ø = 75mm Power: 950W (115V) /800W (230V) Voltage: 115/230V 50/60 Hz Speed Grinding (sec/dose) 2.7" Productivity (Kg/h): 15 Dimensions LxPxH: 188 x 400 x 510 Net/gross weight: 22,5 Kg	115V	Black	AMI 7421	2.180
			220V		AMI 7422	

### MACINADOSATORI ON DEMAND • ON DEMAND GRINDERS




 <p>Black ■ White □ Red ■</p>	MODEL	FEATURES	VERSIONS		CODE	PRICE €
	<b>MDX (On Demand)</b>	Grinder with micrometric grind adjustment; Adjustable dose; Counter incorporated; Hopper Capacity Kg 1; Grinding burrs ø 65 mm; Daily Production 3 Kg day; Power 290W; Voltage 115/230V; 50/60Hz; Dimension WxDxH: 190x290x590 mm Net/Gross Weight 10,5/12 Kg	110V	Black	AMX 60*130	700
220V			AMX 60*230		660	
110V			White	AMX 60*130	700	
220V				AMX 60*230	660	
110V			Red	AMX 60*130	700	
220V				AMX 60*230	660	
 <p>Matt Black ■ Grey □ Red ■</p> <p>Standard colour</p>	<b>GRINTA</b>	Semiprofessional grinder; Adjustable grind; Electronic dosing (Mod. AMMT); Hopper Capacity Kg 0,5; Burrs ø 50 mm; Power: 220W; Voltage 230/115V; -50/60Hz. Dimension WxDxH: 140x210x420 mm Net Weight 4,2/5 Kg		115V	AGRINTASEM00	260
				230V	AGRINTASEM00	250
				115V	AGRINTATEM00	270
				230V	AGRINTATEM00	260
			<b>CHROME</b>	115V	AGRINTASEM00	280
				230V	AGRINTASEM00	270
				115V	AGRINTATEM00	290
				230V	AGRINTATEM00	280

#### OPTIONAL

<b>Inox Base for grinder</b>	Inox base with 1 drawer. Dim WxDxH 250x380x80	KCS00003	150
------------------------------	---	----------	-----



## PRICE LIST









MACINADOSATORI		GRINDERS				
	MODEL	FEATURES	VERSIONS	CODE	PRICE €	
 <p>Matt Black <input checked="" type="checkbox"/></p> <p>White <input type="checkbox"/></p> <p>Standard colour <input checked="" type="checkbox"/></p> <p>Red <input type="checkbox"/></p>	<b>MDX</b>	Grinder with micrometric grind adjustment; Adjustable dose; Counter incorporated; Hopper Capacity Kg 1; Grinding burrs ø 65 mm; Production/hr: Kg 9; Power 290W; Voltage 115/230V; 50/60Hz; Dimension WxDxH: 190x290x590 mm Net/Gross Weight 10,5/12 Kg	Manual			
			115V	Painted	AMX 60*1	<b>610</b>
				Chrome	AMX 6061	<b>815</b>
			230V	Painted	AMX 60*2	<b>560</b>
				Chrome	AMX 6062	<b>790</b>
			Automatic			
			115V	Painted	AMXA60*1	<b>640</b>
				Chrome	AMXA6061	<b>835</b>
			220V	Painted	AMXA60*2	<b>600</b>
				Chrome	AMXA6062	<b>815</b>
 <p>Black <input checked="" type="checkbox"/></p> <p>Grey <input type="checkbox"/></p> <p>Standard colour <input checked="" type="checkbox"/></p> <p>Red <input type="checkbox"/></p>	<b>MDLA</b>	Deluxe Automatic grinder with counter; Micrometric grind adjustment; Hopper Capacity Kg 1; Conical/burr ø 75 mm; Production/ hr: Kg 10/9; Power: 330/260W; Voltage 230/380V; 50/60Hz. Dimension WxDxH: 230x350x515 mm Net/Gross Weight 16,5/17 Kg	ø 75 mm	115V	AMLA60*1	<b>1.265</b>
				230V	AMLA60*2	<b>1.265</b>
				380V	AMLA60*4	<b>1.265</b>
			Conical	230V	AMLC60*2	<b>1.400</b>
				380V	AMLC60*4	<b>1.400</b>
 <p>Black <input checked="" type="checkbox"/></p> <p>Standard colour <input checked="" type="checkbox"/></p> <p>Red <input type="checkbox"/></p>	<b>MCF</b>	Semiprofessional grinder; Micrometric adjustment; Hopper capacity Kg 0,5; Burrs ø 50 mm; Production/hr: Kg 5 Power: 225W (115V)/260W (230V); Voltage 230/115V; 50/60Hz. Dimension WxDxH: 150x205x325 mm Net Weight 5/6 Kg	115V	AMF 7001	<b>380</b>	
			230V	AMF 7002	<b>380</b>	
<b>OPTIONAL</b>						
<b>Inox Base for grinder</b>		Inox base with 1 drawer. Dim WxDxH 250x380x80		KCS00003	<b>150</b>	



## PRICE LIST

### LAVAGGIO

### WASHERS

Lavastoviglie in acciaio inox con giranti in materiale anticalcare.					
MODEL	FEATURES	VERSIONS	CODE	PRICE €	
	<b>Kiara 1</b> Cupwasher with hot and cold rinse and automatic brightener dispenser; Pump capacity 200 lt/min 0,3 Hp; Power max 3225W. Voltage 230V; 50/60Hz; Tub 12lt; Boiler 5 lt; Cycle 150 sec; Hourly production 700 cups max; Rack 36x17; Door opening: 195mm; Lower wash arm; Dim WxDxH: 425x 475x630. Net/Gross Weight: 33/35 Kg	230V	○	ALK10002	1.450
			□	ALK1F002	1.520
	<b>Kiara 2</b> Glass-Cup Washer with door opening: 255mm. Dim WxDxH: 425x 475 x 690.	230V	○	ALK20002	1.590
			□	ALK2F002	1.640
	<b>Kiara 3</b> Glass-Cup Washer with hot and cold rinse and automatic brightener dispenser with reservoir; Power max 2925W; cycle 120 sec; Hourly production 800 cups max; Door opening: 255 mm; Water Softener incorporated; Double tank filters. Dim WxDxH: 425x 475 x 690. Net/Gross Weight 35/38 Kg.	230V	○	ALK30002	2.000
	□		ALK3F002	2.300	
<b>Kiara 4</b> Glass-Cup washer with hot and cold rinse and automatic brightener dispenser. Pump Capacity 280 lt/min 0,6 Hp; Power max 3150W. Voltage 230V 50/60Hz; Tank 16lt; Boiler 5,5 lt; Cycle 120 sec; Hourly production 900 cups max; Rack 41x17; Door opening: 300mm; Lower wash arm. Dim WxDxH: 475x 525 x 740. Net Weight: 38Kg;	230V	○	ALK40002	1.820	
		□	ALK4F002	1.930	
	<b>Kiara 5</b> Dish-Cup-Glass Washer; Top and Bottom wash arms; Double tank filters. Automatic brightener dispenser with reservoir; Door opening 290mm; Dim WxDxH: 475x 525 x 740.	230V	□	ALK5F002	2.270
			+ Discharge Pump	ALK5F102	2.540
	<b>Kiara 6</b> Dish-Cup-Glass Washer; Hot and cold water rinse with automatic brightener dispenser with reservoir; Pump Capacity 420 lt/min 1 Hp; Power max 6750W. (Version ECO: 3750W) Voltage 380V 50/60Hz (Version ECO: 230V); Cycle 120-240 sec (Version ECO: 120 sec.); Double tank filter. Hourly Production 750 plates max; rack 50x50x11; Door opening: 320 mm; Top and Bottom wash arms. Dim WxDxH: 590x 600 x 820. Net Weight: 64 Kg	380V	□	ALK6F004	2.950
		+ Discharge Pump	ALK6F104	3.250	
		"ECO"- 230V	□	ALK6F0E2	2.370
	<b>LTM 1500</b> Hood Dishwasher with hot and cold rinse and automatic brightener dispenser; Pump capacity 420 lt/min 1 Hp; Power max 6750W. Voltage 380V 50/60Hz; Tank 55lt; Boiler 10 lt; Cycle 90-150 sec; Hourly production 700 plates max; rack 50x50x11; Door opening: 450mm; Top and bottom wash arms; Double tank filter. Dim WxDxH: 690x 820 x 1480c-1930a. Net Weight: 112Kg;	380V	□	ALTM1504	4.460
	<b>LTM 1600</b> Same features LTM 1500 + 2 wash pumps 2x1 Hp; Control panel 24V; Cycle: 60-120-180 sec; Manual controls; Temperature probes in Tank and Boiler; Hourly production: 1400 plates max; Net Weight 120Kg.	230V	□	ALTM1602	5.130
		380V	□	ALTM1604	5.130
OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €	
	<b>Inox Base</b>	For Kiara 1,2,3		18010152	245
		For Kiara 4,5		18010074	260
		For Kiara 6		18010076	310
	<b>Sink</b> For Mod. LTM 1500-1600	SX		18010265	2.430
		DX		18010266	2.430
	<b>Service Table</b> For Mod. LTM 1500-1600; Height: mm 600			18010264	430
	<b>Shower for sink</b> For Mod. LTM 1500-1600			18010700	600
	<b>Detergent Dispenser</b>	Fixed		18010220	265
		Adjustable		18010262	275

Versions with different electrical supply (60Hz):+8%.

Goods ex works - Packaging included - V.A.T. Not included - Nuova Simonelli reserves the right to introduce all changes required - The present price list cancell any previous one.



## PRICE LIST

ACCESSORI BAR			ACCESSORIES		
PIASTRE	MODEL	FEATURES	VERSIONS	CODE	PRICE €
	<b>P1L</b>	Deluxe grill with 1 ridged plate; Timer incorporated; Power 2050W; Voltage: 230/115V; 50/60Hz; Dim WxDxH: 380x440x500 mm; Net Weight Kg 21.	115V (ETL)	APL10T01E0	<b>600</b>
			230V	APL10T0200	<b>590</b>
	<b>P2L</b>	Deluxe grill with 2 plates; incorporated timer; Power 3100W; Voltage: 230V/60Hz; Dim WxDxH: 515x440x500; Net Weight Kg 31.	230V 2 Ridged Plates	APL20TR200	<b>810</b>
			ETL - 230V 2 Ridged Plates	APL20TR2E0	<b>820</b>
			230V 1 Ridged Plate; 1 Plane	APL20TM200	<b>810</b>
			230V 2 Plane Plates	APL20TL200	<b>810</b>
<b>FRIGO</b>					
	<b>Thermoelectric Cooler</b>	Capacity: 15 dm <sup>3</sup> ; Power 65W; Volts 230/12 V; Dim WxDxH: 280x315x450; Net/Gross Weigh 5 Kg	15 lt.	KFPML15D00	<b>135</b>



Nuova Simonelli SpA  
Via M. D'Antegiano, 6  
62020 Belforte del Chienti - Macerata Italy  
Cod. Fisc. e P.IVA IT 00663660439  
REA MC 0093548 / M. MC 000028  
Reg. Soc. Trib. MC n. 4102  
Cap. soc. i.v. € 1.000.000

Nuova Simonelli SpA  
Via M. D'Antegiano, 6 - 62020 Belforte del Chienti - Macerata Italy  
tel. +39.0733.9501 fax +39.0733.950242  
videoconf. +39.0733.950201  
[www.nuovasimonelli.it](http://www.nuovasimonelli.it) [n.simonelli@nuovasimonelli.it](mailto:n.simonelli@nuovasimonelli.it)

Nuova Distribution USA  
6940 Salashan PKWY BLDG A Ferndale, WA 98248  
tel. +1.360.3662226 fax + 1.360.3664015  
videoconf. +1.360.3188595  
[www.nuovasimonelli.com](http://www.nuovasimonelli.com) [info@nuovadistribution.com](mailto:info@nuovadistribution.com)